




PAPILLOMAVIRUS

Image generated by artificial intelligence

CANCER

VULVA AND VAGINA



MAXI EXHIBITION

80% of women and men will come into contact with Human Papillomavirus (HPV) during their lifetime because these viruses are very common. One in ten infections can persist and develop into a disease.



ULTRA RISKY

Lesions in the vulva or vagina, if not treated, can develop into cancer. These changes are caused by HPV, a very common virus that lives on the skin and in mucous membranes. About 20% of vulvar and vaginal cancers are linked to HPV.



SUPER DISCREET

There is no screening test to detect these lesions.

The enemies
of this cancer

Vaccination ⚡⚡⚡⚡



During intimate relations, the use of condoms remains important to prevent other sexually transmitted infections (STIs). You can use them and find them free of charge at pharmacies for those under 26 years of age.



PAPILLOMAVIRUS

Become the master of your health!

TAKE CONTROL OF YOUR DESTINY AND GET VACCINATED!



RECOMMENDED FOR AGES 11 TO 14, WITH CATCH-UP AVAILABLE UP TO AGE 26.
THE SOONER, THE BETTER — BUT IT'S NEVER TOO LATE. VACCINATION IS

Prescriptions and administration can be carried out by doctors, pharmacists, midwives, nurses,
and at school for students aged 11 and up.



PAPILLOMAVIRUS



Image generated by artificial intelligence

RECURRENT RESPIRATORY PAPILLOMATOSIS



MAXI EXHIBITION

80% of women and men will come into contact with Human Papillomavirus (HPV) during their lifetime because these viruses are very common. One in ten infections can persist and develop into a disease.



ULTRA EVOLUTION

This is a rare disease with no available treatment. It can cause serious breathing problems in young children. Repeated surgeries and the illness itself may damage the voice. In some cases, the disease can spread to the lungs and may even lead to cancer.

The enemies
of this disease

Vaccination
Monitoring




During intimate relations, the use of condoms remains important to prevent other sexually transmitted infections (STIs). You can use them and find them free of charge at pharmacies for those under 26 years of age.



PAPILLOMAVIRUS

Become the master of your health!

TAKE CONTROL OF YOUR DESTINY AND GET VACCINATED!



RECOMMENDED FOR AGES 11 TO 14, WITH CATCH-UP AVAILABLE UP TO AGE 26.
THE SOONER, THE BETTER — BUT IT'S NEVER TOO LATE. VACCINATION IS

Prescriptions and administration can be carried out by doctors, pharmacists, midwives, nurses,
and at school for students aged 11 and up.





PAPILLOMAVIRUS



Image generated by artificial intelligence

CANCER

CERVIX



MAXI EXHIBITION

80% of women and men will come into contact with Human Papillomavirus (HPV) during their lifetime because these viruses are very common. One in ten infections can persist and develop into a disease.



MEGA VIEWFINDER

Almost 100% of cervical cancer cases are caused by HPV.



ULTRA MONITORED

It is the only HPV-related cancer for which there is a national screening program.

The enemies
of this cancer

Vaccination
Screening




During intimate relations, the use of condoms remains important to prevent other sexually transmitted infections (STIs). You can use them and find them free of charge at pharmacies for those under 26 years of age.



PAPILLOMAVIRUS

Become the master of your health!

TAKE CONTROL OF YOUR DESTINY AND GET VACCINATED!



RECOMMENDED FOR AGES 11 TO 14, WITH CATCH-UP AVAILABLE UP TO AGE 26.
THE SOONER, THE BETTER — BUT IT'S NEVER TOO LATE. VACCINATION IS

Prescriptions and administration can be carried out by doctors, pharmacists, midwives, nurses,
and at school for students aged 11 and up.



IMAGYN
Initiative des Malades Atteints
de cancers Gynécologiques



SOCIÉTÉ FRANÇAISE
DE LUTTE
CONTRE LE SIDA



PAPILLOMAVIRUS

Image generated by artificial intelligence



CANCER ANUS



MAXI EXHIBITION

80% of women and men will come into contact with Human Papillomavirus (HPV) during their lifetime because these viruses are very common. One in ten infections can persist and develop into a disease.



MEGA IMPACT

Cases of anal cancer are rising, with about 2,000 new cases each year in France. Nearly 90% are linked to HPV.



MEGA IGNORED

There is no routine screening, and the disease can affect both the inside and outside of the anus. If you notice symptoms such as a lump, swelling, heaviness, bleeding, pain, or itching, consult a specialist doctor (proctologist).

The enemies
of this cancer

Vaccination




During intimate relations, the use of condoms remains important to prevent other sexually transmitted infections (STIs). You can use them and find them free of charge at pharmacies for those under 26 years of age.



PAPILLOMAVIRUS

Become the master of your health!

TAKE CONTROL OF YOUR DESTINY AND GET VACCINATED!



RECOMMENDED FOR AGES 11 TO 14, WITH CATCH-UP AVAILABLE UP TO AGE 26.
THE SOONER, THE BETTER — BUT IT'S NEVER TOO LATE. VACCINATION IS

Prescriptions and administration can be carried out by doctors, pharmacists, midwives, nurses,
and at school for students aged 11 and up.





PAPILLOMAVIRUS



Image generated by artificial intelligence

CANCER MOUTH AND THROAT



MAXI EXHIBITION

80% of women and men will come into contact with Human Papillomavirus (HPV) during their lifetime because these viruses are very common. One in ten infections can persist and develop into a disease.



MEGA DISCREET

Lesions are not detectable before the cancer is diagnosed. In fact, diagnosis usually occurs at an advanced stage.



ULTRA PRESENT

The number of these cancers is constantly increasing, particularly among younger people.

The enemies
of this cancer

Vaccination




During intimate relations, the use of condoms remains important to prevent other sexually transmitted infections (STIs). You can use them and find them free of charge at pharmacies for those under 26 years of age.



PAPILLOMAVIRUS


Become the master of your health!

TAKE CONTROL OF YOUR DESTINY AND GET VACCINATED!



RECOMMENDED FOR AGES 11 TO 14, WITH CATCH-UP AVAILABLE UP TO AGE 26.
THE SOONER, THE BETTER — BUT IT'S NEVER TOO LATE. VACCINATION IS

Prescriptions and administration can be carried out by doctors, pharmacists, midwives, nurses,
and at school for students aged 11 and up.





PAPILLOMAVIRUS



Image generated by artificial intelligence

CANCER PENIS



MAXI EXHIBITION

80% of women and men will come into contact with Human Papillomavirus (HPV) during their lifetime because these viruses are very common. One in ten infections can persist and develop into a disease.



MULTI RISQUES


Most penile cancers are caused by HPV, but this type of cancer is still rare.

The enemies
of this cancer

Vaccination




During intimate relations, the use of condoms remains important to prevent other sexually transmitted infections (STIs). You can use them and find them free of charge at pharmacies for those under 26 years of age.



PAPILLOMAVIRUS

Become the master of your health!

TAKE CONTROL OF YOUR DESTINY AND GET VACCINATED!



RECOMMENDED FOR AGES 11 TO 14, WITH CATCH-UP AVAILABLE UP TO AGE 26.
THE SOONER, THE BETTER — BUT IT'S NEVER TOO LATE. VACCINATION IS

Prescriptions and administration can be carried out by doctors, pharmacists, midwives, nurses,
and at school for students aged 11 and up.



PAPILLOMAVIRUS



Image generated by artificial intelligence

GENITAL AND ANAL WARTS



MAXI EXHIBITION

80% of women and men will come into contact with Human Papillomavirus (HPV) during their lifetime because these viruses are very common. One in ten infections can persist and develop into a disease.



HIGHLY CONTAGIOUS

Genital warts, or condylomas, are highly contagious lesions, even through simple skin-to-skin contact. They are even more contagious in the case of micro-injuries (hair removal, shaving, etc.). These warts are not always visible to the naked eye.



MAXI REPEAT OFFENDER


Recurrences are common, so regular monitoring is necessary.

The enemies of
genital warts

Vaccination ⚡⚡⚡⚡




During intimate relations, the use of condoms remains important to prevent other sexually transmitted infections (STIs). You can use them and find them free of charge at pharmacies for those under 26 years of age.



PAPILLOMAVIRUS

Become the master of your health!

TAKE CONTROL OF YOUR DESTINY AND GET VACCINATED!



RECOMMENDED FOR AGES 11 TO 14, WITH CATCH-UP AVAILABLE UP TO AGE 26.
THE SOONER, THE BETTER — BUT IT'S NEVER TOO LATE. VACCINATION IS

Prescriptions and administration can be carried out by doctors, pharmacists, midwives, nurses,
and at school for students aged 11 and up.



VACCINE

Image generated by artificial intelligence



ULTRA BLOCKING

The vaccine protects against HPV infections that cause genital warts, precancerous changes, and several types of cancer.



ULTRA ACCESSIBLE

Prescription and administration may be carried out by physicians, pharmacists, midwives, and nurses.



MAXI SAFE

The HPV vaccine has been available for over 10 years. Thanks to vaccination and screening, Australia has almost eliminated cervical cancer!



The enemies of this cancer | Vaccine hesitancy
Clearing up misconceptions



PAPILLOMAVIRUS

Become the master of your health!

TAKE CONTROL OF YOUR DESTINY AND GET VACCINATED!



RECOMMENDED FOR AGES 11 TO 14, WITH CATCH-UP AVAILABLE UP TO AGE 26.

THE SOONER, THE BETTER — BUT IT'S NEVER TOO LATE. VACCINATION IS

Prescriptions and administration can be carried out by doctors, pharmacists, midwives, nurses, and at school for students aged 11 and up.

